




Timken BEARINGS INDUSTRY

INA RCJ75 bearing units



Bearing No. RCJ75

| | |
|-------------------------------|----------------------------|
| Bore Diameter | 75 mm |
| d | 75 mm |
| V | 170 mm |
| U | 86,9 mm |
| Thread (Q) | Rp1/8 |
| d3 | 100 mm |
| A | 55,8 mm |
| A1 | 20 mm |
| B1 | 67 mm |
| J | 153 mm |
| L | 197 mm |
| N | 23 mm |
| A2 | 41,3 mm |
| Weight | 6,5 Kg |
| Basic dynamic load rating (C) | 62 kN |
| Category | Flange Block Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 7.647 |
| EAN | 4012802089714 |
| Product Group | M06110 |
| Number of Mounting Holes | 4 |
| Mounting Method | Eccentric Collar |
| Housing Style | 4 Bolt Square Flange Block |
| Rolling Element | Ball Bearing |

RCJ75 Bearing 2D drawings and 3D CAD models



Timken BEARINGS INDUSTRY

| | |
|------------------------------------|--|
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 23 Millimeter |
| Relubricatable | Yes |
| Insert Part Number | GE75KRRB |
| Seals | Double Land Riding Rubber Contact |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch - Metric | Metric |
| Long Description | 4 Bolt Square Flange Block; 75MM Bore; 215MM Bolt Circle; 153MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 67.1MM Length Thru Bore; Relubricatable; Double Land Ridin |
| Other Features | Single Row With Set Screw |
| Category | Flange Block |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | RCJ75 |
| Weight / LBS | 14.333 |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Length Thru Bore | 2.642 Inch 67.1 Millimeter |
| Bore | 2.953 Inch 75 Millimeter |
| Nominal Bolt Circle Diameter Round | 8.5 Inch 215 Millimeter |
| Cartridge Pilot Depth | 0 Inch 0 Millimeter |
| Bolt Spacing | 6.024 Inch 153 Millimeter |



Timken BEARINGS INDUSTRY